



## Category:

- [-] Session
  - Logging
- [-] Terminal
  - Keyboard
  - Bell
  - Features
- [-] Window
  - Appearance
  - Behaviour
  - Translation
  - [+] Selection
  - Colours
- [-] Connection
  - Data
  - Proxy
  - [+] SSH
    - Serial
    - Telnet
    - Rlogin
    - SUPDUP

## Basic options for your PuTTY session

Specify the destination you want to connect to

Host Name (or IP address)

127.0.0.1

Port

2023

Connection type:

☐ SSH☐ Serial☒ Other:

Raw



Load, save or delete a stored session

Saved Sessions

openvms

Default Settings

COM3

allstar

openvms

Load

Save

Delete

Close window on exit:

☐ Always☐ Never☒ Only on clean exit

About

Help

Open

Cancel



## Category:

- Session
  - Logging
  - Terminal**
  - Keyboard
  - Bell
  - Features
- Window
  - Appearance
  - Behaviour
  - Translation
  - Selection
  - Colours
- Connection

## Options controlling the terminal emulation

## Set various terminal options

- ☒ Auto wrap mode initially on
- ☐ DEC Origin Mode initially on
- ☐ Implicit CR in every LF
- ☐ Implicit LF in every CR
- ☒ Use background colour to erase screen
- ☐ Enable blinking text

Answerback to ^E:

PuTTY

## Line discipline options

Local echo:

- ☐ Auto
- ☐ Force on
- ☒ Force off

Local line editing:

- ☐ Auto
- ☐ Force on
- ☒ Force off

## Remote-controlled printing

Printer to send ANSI printer output to:

Apply

Cancel



## Category:

- Session
  - Logging
- Terminal
  - Keyboard
  - Bell
  - Features
- Window**
  - Appearance
  - Behaviour
  - Translation
  - Selection
  - Colours
- Connection
  - Data
  - Proxy
  - SSH
    - Serial
    - Telnet
    - Rlogin
    - SUPDUP

## Options controlling PuTTY's window

## Set the size of the window

Columns

80

Rows

24

## When window is resized:

- ☒ Change the number of rows and columns
- ☐ Change the size of the font
- ☐ Change font size only when maximised
- ☐ Forbid resizing completely

## Control the scrollbar in the window

Lines of scrollbar

2000

- ☒ Display scrollbar
- ☐ Display scrollbar in full screen mode
- ☐ Reset scrollbar on keypress
- ☒ Reset scrollbar on display activity
- ☒ Push erased text into scrollbar

About

Help

Open

Cancel



Category:

- [-] Session
  - Logging
- [-] Terminal
  - Keyboard
  - Bell
  - Features
- [-] Window
  - Appearance
  - Behaviour**
  - Translation
  - + Selection
  - Colours
- Connection

## Configure the behaviour of PuTTY's window

Adjust the behaviour of the window title

Window title:

☐ Separate window and icon titles☒ Warn before closing window☒ Window closes on ALT-F4☐ System menu appears on ALT-Space☐ System menu appears on ALT alone☐ Ensure window is always on top☐ Full screen on Alt-Enter

Apply

Cancel



## Category:

- [-] Session
  - Logging
- [-] Terminal
  - Keyboard
  - Bell
  - Features
- [-] Window
  - Appearance
  - Behaviour
  - Translation
  - [+] Selection
  - Colours
- [-] Connection
  - Data
  - Proxy
  - [+] SSH
    - Serial
    - Telnet
    - Rlogin
    - SUPDUP

## Options controlling Telnet connections

## Telnet protocol adjustments

Handling of OLD\_ENVIRON ambiguity:

☒ BSD (commonplace) ☐ RFC 1408 (unusual)

Telnet negotiation mode:

☒ Passive ☐ Active☐ Keyboard sends Telnet special commands☐ Return key sends Telnet New Line instead of ^M

About

Help

Open

Cancel